Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- (Withdrawn) A molded component, comprising:
 a molded member; and
 a protrusion printed on a surface of the molded member.
- 2. (Withdrawn) A molded component as claimed in claim 1, wherein the protrusion includes a plurality of Braille dots.
- 3. (Withdrawn) A molded component as claimed in claim 1, wherein the protrusion is transparent.
- 4. (Withdrawn) A molded component as claimed in claim 1, wherein the protrusion is formed of normal-temperature curing resin.
- 5. (Withdrawn) A molded component as claimed in claim 1, wherein the protrusion is formed of photo-curing resin.
- 6. (Withdrawn) A molded component as claimed in claim 1, wherein the protrusion is provided on the surface of the molded member through a screen printing.
- 7. (Withdrawn) A molded component as claimed in claim 1, wherein a character is printed on the surface of the molded member.
- 8. (Withdrawn) A molded component as claimed in claim 7,
 wherein the character is printed on the surface of the molded member through
 a first screen printing by using a first screen having through-holes with a first size, and

wherein the protrusion is provided on the surface of the molded member through a second screen printing by using a second screen having through-holes with a second size greater than the first size.

- 9. (Withdrawn) A molded component as claimed in claim 7, wherein the protrusion is provided on top of the character.
- 10. (Withdrawn) A molded component as claimed in claim 1, wherein the molded member has a first surface roughness, the protrusion having a second surface roughness different from the first surface roughness.
- 11. (Withdrawn) A molded component as claimed in claim 10, wherein the surface of the molded member is a grain surface.
- 12. (Withdrawn) A molded component as claimed in claim 10, wherein the surface of the molded member is curved.
 - 13. (Withdrawn) An operation panel, comprising:

a molded component including a molded member and a protrusion printed on a surface of the molded member; and

an operation portion received by the molded member for receiving a user's manipulation.

- 14. (Withdrawn) An operation panel as claimed in claim 14, wherein the operation portion includes an operation switch received by the molded member at a location that enables the user's finger to touch both of the operation switch and the protrusion simultaneously.
 - 15. (Withdrawn) An electronic device, comprising:

a housing;

an operation panel mounted to the housing, the operation panel including:

a molded component including a molded member and a protrusion printed on a

surface of the molded member; and

an operation portion received by the molded member for receiving a user's manipulation; and

an electronic unit mounted in the housing and executing a predetermined electronic operation in response to the user's manipulation of the operation portion.

16-18. (Canceled)

19. (Currently Amended) A method of producing a molded component, comprising:

printing a character of ink on a surface of a molded member; and forming a protrusion directly on the surface of the molded member, on which the character has already been printed,

wherein the surface of the molded member is curved, and

further comprising:

defining at least one first region on at least a part of the entire surface of the molded member, the character-printing step performing its character-printing operation onto each first region; and

defining a plurality of second regions on the at least a part of the entire surface of the molded member, the protrusion-printing step performing its protrusion-printing operation onto each second region, the total number of the plurality of second regions being greater than the total number of the at least one first region.